

Date: 25/02/2022

Revision Date: -

Revizyon No: 00

SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

VICEM - Super Clean Fast Stain Extractor

Page 1 / 6

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade Name: VICEM - Super Clean Fast Stain Extractor

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses: Dirt, degreaser and cleaner

Company name: HAFIZBABA BITKISEL VE KOZMETİK URUNLERI PAZARLAMA GIDA SANAYI VE TICARET LIMITED SİRKETİ

Address: Guzelyali Mahallesi Sahilyolu Caddesi Alinteri Sokak No: 20 PENDİK/İSTANBUL/TURKEY

Tel: 0216 376 65 25

Competent person: betul@pimgrup.com

1.4. Emergency telephone number

Cansu Karakazancı

+90 538 424 27 62

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317: May cause an allergic skin reaction.

2.2. Label elements

Hazard pictograms:



Signal word:

DANGER

Hazard statements:

H317 May cause an allergic skin reaction.

Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P272 Contaminated work clothing should not be allowed out of the workplace.

protection.

P280 Wear protective gloves/protective clothing/eye protection/face

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P321 Specific treatment (see ... on this label).

P363 Wash contaminated clothing before reuse.

2.3. Other hazards

None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

N/A

Date: 25/02/2022

Revision Date: -

Revizyon No: 00

SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

VICEM - Super Clean Fast Stain Extractor

Page 2 / 6

3.2. Mixtures

Description: Multi Component Mixture

SUBSTANCES	CAS NUMBER	EINECS/ELICS NUMBER	CONCENTRATION (%)	HAZARD STATEMENT CODE(S)	Specific Conc. Limits,
					M-factors
AQUA	7732-18-5	231-791-2	75-95	-	-
CAPRYLYL/CAPRYL GLUCOSIDE	68515-73-1	500-220-1	3-6	-	-
BUTYLENE GLYCOL	107-88-0, 6290-03-5	203-529-7, 228-532-0	3-6	-	-
SODIUM HYDROXIDE	1310-73-2	215-185-5	3-6	-	-
DISODIUM EDTA	139-33-3 --- 6381-92-6	205-358-3	0,1-0,2	-	-
Mixture of 5-Chloro-2-methyl-isothiazol-3(2H)-one and 2-Methylisothiazol-3(2H)-one with magnesium chloride and magnesium nitrate	55965-84-9	911-418-6	0,00135-0,00185	H314 H317 H301 H310 H330 H400 H410	Skin Corr. 1B; H314: C ≥ 0,6 % Skin Irrit. 2; H315: 0,06 % ≤ C < 0,6 % Eye Irrit. 2; H319: 0,06 % ≤ C < 0,6 % Skin Sens. 1; H317: C ≥ 0,0015 %

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information: General first aid, rest, warm and fresh air. Do not give victim anything to drink if they are unconscious. Get medical attention if any discomfort continues.

Eye: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. If symptoms persist, call a physician.

Skin Problem: If skin problems occur, discontinue use of product. Get medical attention if irritation persists.

Inhalation: If respiratory irritation occurs, remove individual to fresh air. Then consult a doctor.

Ingestion: Accidental ingestion of product may necessitate medical attention. Do not induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

After first aid treatment, the caller should be advised that 1) a hospital emergency room or family physician should be consulted if anything unusual occurs or appears necessary in the judgment of the caller, and 2) that the subsequent management of the accident should be dictated by any persistent symptoms and under the direction of the physician.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable: Use chemical foam, dry chemical, carbon dioxide

Date: 25/02/2022

Revision Date: -

Revizyon No: 00

SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

VICEM - Super Clean Fast Stain Extractor

Page 3 / 6

Unsuitable: Water jet

5.2. Special hazards arising from the substance or mixture

Harmful/toxic gases may be released as a result of thermal decomposition.

5.3. Advice for fire-fighters

Wear respiratory protection that is not dependent on the ambient air.

Do not breathe the gases from explosion and fire.

Cool containers at risk of fire with spray water.

If the fire is due to gas leakage; Do not extinguish until the leak has been safely stopped.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Take care that it does not come into contact with the eyes.

There is a high risk of slipping due to spilled product.

6.2. Environmental protection measures

Take necessary measures to prevent further spread of large quantities.

6.3. Methods and material for containment and cleaning up

Keep container tightly closed. Keep out of reach of children

Keep away from heat/sparks/open flames/hot surfaces.

Clean the accident site carefully; Suitable for this are:

-Hot water and cleaning agent

6.4. Reference to other sections

Get information about safe use from chapter 7.

Get information about personal protective equipment from chapter 8.

Get information about liquidation from chapter 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with eyes. Keep away from children.

7.2. Conditions for safe storage, including any incompatibilities

Required properties in warehouses and containers:

Store in a dry, cool and well-ventilated place in tightly closed original packaging.

Warnings for protection from fire and explosion:

Do not expose to temperatures above 50°C.

Other information on storage conditions:

Keep away from food, drink and animal feed.

Store the container in a well-ventilated place.

Protect from moisture and water.

Store below 25°C in a cool and dry place.

Protect from light.

Store in cool place.

7.3. Specific end uses

No further relevant information available.

Date: 25/02/2022

Revision Date: -

Revizyon No: 00

SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

VICEM - Super Clean Fast Stain Extractor

Page 4 / 6

SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Control parameters

Exposure guidelines do not apply when the product is used as intended in a domestic environment.

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Keep the substance concentration in the environment below the permissible limits by providing suitable general or local ventilation.

8.2.2. Individual protective measures

Eye: Contact lenses should not be worn when working with this chemical! Use approved safety glasses. For example, according to En166

Skin/Body: Protective gloves and goggles should be used if there is a risk of direct contact or splashing. In case of skin contamination, wash immediately. Remove impermeable clothing that is not contaminated.

Inhalation: Respiratory protection should be used if air pollution exceeds the acceptable level.

Ventilation: Adequate ventilation should be provided.

Other: Use engineering controls to reduce air pollution to allowable exposure level. Wear suitable clothing for the possibility of liquid contact and repeated or prolonged vapor contact. Provide eyewash station and safety shower.

DO NOT smoke in the work area!

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance: Transparent Liquid

Color: Transparent

Odor: Odorless

pH: 12

Viscosity: 85Cps

Intensity: 1,08 gr/cm³

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

It is stable when properly stored and used.

10.2. Chemical stability

Stable under normal temperature conditions and recommended use. Stable under prescribed storage conditions.

10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

10.4. Conditions to avoid

Avoid extreme heat and ignition sources.

10.5. Incompatible materials

Keep away from strong oxidizing agents, alkalis and corrosive substances.

10.6. Hazardous decomposition products

None under normal use.

Date: 25/02/2022

Revision Date: -

Revizyon No: 00

SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

VICEM - Super Clean Fast Stain Extractor

Page 5 / 6

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity

Additional information on toxicological endpoints is available from the supplier on request.

Primary irritant effect

Inhalation: In high concentrations, vapors may irritate throat and respiratory system and cause coughing.

If swallowed: Gastrointestinal symptoms, including stomach upset, may occur.

Skin contact: Repeated exposure may cause skin dryness or cracking. It irritates the skin. May pose a risk of sensitization or allergic reaction in sensitive individuals.

Eye contact: May cause irritation, redness and pain.

CMR Effect: Not carcinogenic, mutagenic or toxic to reproduction.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

It is expected to be dangerous for the environment. It expects to be considered an ecological when processed on site due to suitability.

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

Avoid mixing with sewers/surface water/ground water.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Dispose of large quantities to special waste disposal facilities. Do not pierce or burn, even after using smaller quantities. Only completely empty containers can be used as recycling material.

SECTION 14: TRANSPORT INFORMATION

The product is not covered by the international regulation on the transport of dangerous goods.

(IMDG, IATA, ADR/RID)

14.1. UN number

No special shipping required.

14.2. UN proper shipping name

No special shipping required.

14.3. Transport hazard class(es)

No special shipping required.

14.4. Packing group

Date: 25/02/2022

Revision Date: -

Revizyon No: 00

SAFETY DATA SHEET

According to Regulation (EU) No 830/2015

VICEM - Super Clean Fast Stain Extractor

Page 6 / 6

No special shipping required.

14.5. Environmental hazards

Harmful to aquatic life with long lasting effects.

14.6. Special precautions for user

No special precautions are required for the user

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable.

14.8. Finished packaged product transported by air (IATA)

Not applicable.

SECTION 15: ADDITIONAL REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- REGULATION (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- COMMISSION REGULATION (EU) No 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

SECTION 16: OTHER INFORMATION

This information is provided for documentation purposes only.

This product is not considered hazardous under normal conditions of use.

The complete range of conditions or methods of use are beyond our control therefore we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein believed to be true and accurate. However, all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of information, the hazards connected with the use of material or the results to be obtained from the use thereof. Compliance with all applicable federal, state and local laws and local regulations remains the responsibility of the user. This material safety sheet cannot cover all possible situations which the user may experience during processing. Each aspect of your operation should be examined to determine if, or where additional precautions may be necessary. All health and safety information contained in this bulletin should be provided to your employees.

Issued By: Betül ATA

